



Injectable formulations
Oral formulations
Medicated premixes
Nutritional supplements

ACIDVALL C4

Hydrosoluble complementary feed in oral solution

Acidifier



COMPOSITION

Glycerol + Water

Mono, di and triglycerides of fatty acids (C4, C8 and C10)

Additives per kg

Preservatives:

Formic acid (1k236)

Sodium formate (1k237i)

Propionic acid (1k280)

Trace elements:

Copper (II) sulphate pentahydrate (3b405)

PROPERTIES

The synergies between organic acids, medium chain fatty acid glycerides and copper contribute to the control of Gram+ and Gram- pathogens such as *Clostridium*, *Streptococcus*, *Staphylococcus*, *Salmonella*, *E. coli*...

Copper also acts on filamentous fungi and algae in the pipe, preventing the formation of biofilm.

INDICATIONS AND USES

Target species: Poultry, porcine and rabbits.

Period of use: All.

Indications: Enteric processes: Acidification and promotion of intestinal eubiosis.

DOSAGE AND ADMINISTRATION

To be administered in drinking water.

All species: Administer 0,5-1,5 L of Acidvall C4 per 1000 L of drinking water.

STORAGE

Store in a cool and dry place and protected from light.

SHELF - LIFE

24 months.

PACKAGE SIZE

Container of 10 kg.

Container of 25 kg.



Mevet
Pol. Ind. El Segre P. 409 - 410
25191 Lleida, Spain.
T. +34 973 210 269

Vall Companys **FAMI**qs

Animal Feeding registration: aESP25100069

The product complies with the European legislation:

- Regulation (CE) n° 183/2005 of the European Parliament of the Council of 12 January of 2005, laying down requirements for feed hygiene.
- Regulation (CE) n° 767/2009 of the European Parliament of the Council of 13 July of 2009, on the placing on the market and use of feed.
- Regulation (CE) n° 1831/2003 of the European Parliament of the Council of 22 September of 2003 on additives for use in animal nutrition.
- Directive 2002/32/CE of European Parliament and the Council of 7 May of on undesirable substances in animal feed.